



GOC LED LIGHTING

Our LED Lighting solutions for Home and Industries.



GOC LABS

Dhampur, District:- Bijnor
U.P. | India 246761

Phone: +91 1344 223344
Email: contact@goclabs.com
Web: www.goclabs.com

ABOUT GOC



INCEPTED IN THE YEAR 2012, **GOC LABS** IS A R&D COMPANY AND ONE OF THE UPCOMING MANUFACTURERS AND SUPPLIERS OF WIDE RANGE OF LED LIGHTS AND HOME AUTOMATION IN BRAND NAME 'GOC'. THE LED SEGMENT OFFERS LED FLOOD LIGHTS, LED BAY LIGHTS, LED STREET LIGHTS, LED PANEL LIGHTS, LED DOWN LIGHTS, LED TUBE LIGHTS, LED BULBS, LED STRIP LIGHTS, LED GARDEN LIGHTS, LED UNDER-WATER LIGHTS AND LED LOW BAY LIGHTS.

OUR INFRASTRUCTURE IS SPREAD OVER AN AREA OF 20000 SQUARE FEET AND IS WELL EQUIPPED WITH A MANUFACTURING UNIT, IN-HOUSE DESIGN UNIT AS WELL AS ADVANCE RESEARCH AND DEVELOPMENT WING. OUR DILIGENT AND PROFICIENT WORKFORCE IS CAPABLE OF UNDERSTANDING CLIENT'S REQUIREMENT WHICH ALLOWS THEM TO CATER TO THE SAME IN BEST POSSIBLE MANNER. WE ALSO PROVIDE CUSTOMIZATION FACILITY TO FULFIL THE SPECIFICATION OF OUR CLIENTS.

OUR STATE-OF-THE-ART INFRASTRUCTURE IS SEGREGATED INTO VARIOUS DEPARTMENTS INCLUDING PRODUCTION, IN-HOUSE DESIGNING, QUALITY CONTROLLING AS WELL AS RESEARCH AND DEVELOPMENT. WE HAVE ESTABLISHED A WELL-EQUIPPED MANUFACTURING FACILITY WHICH ENABLES US TO PRODUCE A QUALITY RANGE OF LED LIGHTS. OUR MANUFACTURING UNIT IS SPREAD OVER AN AREA OF 20000 SQUARE FEET AND HAS A MASSIVE CAPACITY WHICH ENABLES US TO UNDERTAKE BULK PRODUCTION IN CASE OF URGENT ORDERS.

SERVICES



GOC LABS HAS IN HOUSE RESEARCH AND DEVELOPMENT UNIT TO SUPPORT AND BACKUP ITS MANUFACTURING OF AUTOMATION SYSTEMS AND LIGHTING PRODUCTS. GOC LABS HAS HIGHLY SKILLED R&D PROFESSIONALS WITH VAST KNOWLEDGE IN AUTOMATION, EMBEDDED SYSTEMS, CLOUD COMPUTING, SOFTWARE & ELECTRONICS ENGINEERING. GOC LABS HAS WELL EQUIPPED MODERN LAB FOR ITS RESEARCH AND DEVELOPMENT WORK.



LED BULBS



LED BULBS 180


Model No:	Power	Input Voltage	Lumens	Color
LEDB0206W	6w	220 V AC / 50 Hz	> 600 lm	Crystal White/ Warm White
LEDB0208W	8w	220 V AC / 50 Hz	> 800 lm	Crystal White/ Warm White
LEDB2010W	10w	220 V AC / 50 Hz	> 1000 lm	Crystal White/ Warm White
LEDB02012W	12w	220 V AC / 50 Hz	> 1200 lm	Crystal White/ Warm White
LEDB02015W	15w	220 V AC / 50 Hz	> 1500 lm	Crystal White/ Warm White

LED BULBS 270

Model No	Power	Input Voltage	Lumens	Color
LEDB0406W	6w	220 V AC / 50 Hz	> 540 lm	Crystal White/ Warm White
LEDB0408W	8w	220 V AC / 50 Hz	> 730 lm	Crystal White/ Warm White
LEDB4010W	10w	220 V AC / 50 Hz	> 900 lm	Crystal White/ Warm White



LED TUBE LIGHTS



LED TUBE LIGHTS

Model No	Power	Input Voltage	Lumens	Color	Size
GOC-LTL-6	6w	220 V AC / 50 Hz	> 540 lm	Crystal White	1/2ft
GOC-LTL-9	9w	220 V AC / 50 Hz	> 730 lm	Crystal White	1ft
GOC-LTL-18	18w	220 V AC / 50 Hz	> 1600 lm	Crystal White	2ft
GOC-LTL-24	24w	220 V AC / 50 Hz	> 2300 lm	Crystal White	4ft



LED DOWN LIGHTS



LED DOWN LIGHT

Model No	Power	Input Voltage	Lumens	Color
GOC-LDL-3	3w	90-264v AC	> 300 lm	Crystal White
GOC-LDL-6	6w	90-264v AC	> 540 lm	Crystal White
GOC-LDL-12	12w	90-264v AC	> 1200 lm	Crystal White
GOC-LDL-18	18w	90-264v AC	> 1600 lm	Crystal White

LED SURFACE LIGHT


Model No	Power	Input Voltage	Lumens	Color
GOC-LSM-3	3w	90-264v AC	> 300 lm	Crystal White
GOC-LSM-6	6w	90-264v AC	> 540 lm	Crystal White
GOC-LSM-12	12w	90-264v AC	> 1200 lm	Crystal White
GOC-LSM-18	18w	90-264v AC	> 1600 lm	Crystal White

LED CONCEALED LIGHT

Model No	Power	Input Voltage	Lumens	Color
GOC-LCL-06	6w	90-264v AC	> 650 lm	Crystal White



LED PANEL LIGHTS



LED PANEL LIGHTS

Model	Power	Input Voltage	Lumens	Body Color	Lens Angle	Power Factor	Size
GOC-PNL-36	36w	AC 120-240 V	3600-4000 lm	White	120°	> 0.95	2 x 2 ft
GOC-PNL-40	40w	AC 120-240 V	3800-4200 lm	White	120°	> 0.96	2 x 2 ft



LED STREET LIGHTS



LED STREET LIGHTS

Model No:	Power	Input Voltage	Lumens	Color	Body	Power Factor	Protection
GOC-SLT-15w	15w	115V To 300 Volt AC, 50/60 Hz	> 1500 lm	Cool white	Die-casting aluminum	> 0.95	IP65
GOC-SLT-25w	25w	115V To 300 Volt AC, 50/60 Hz	> 2500 lm	Cool white	Die-casting aluminum	> 0.95	IP65
GOC-SLT-30w	30w	115V To 300 Volt AC, 50/60 Hz	> 3000 lm	Cool white	Die-casting aluminum	> 0.95	IP65
GOC-SLT-40w	40w	115V To 300 Volt AC, 50/60 Hz	> 4000 lm	Cool white	Die-casting aluminum	> 0.95	IP65
GOC-SLT-50w	50w	115V To 300 Volt AC, 50/60 Hz	> 5000 lm	Cool white	Die-casting aluminum	> 0.95	IP65
GOC-SLT-60w	60w	115V To 300 Volt AC, 50/60 Hz	> 6000 lm	Cool white	Die-casting aluminum	> 0.95	IP65
GOC-SLT-80w	80w	115V To 300 Volt AC, 50/60 Hz	> 8000 lm	Cool white	Die-casting aluminum	> 0.95	IP65
GOC-SLT-100w	100w	115V To 300 Volt AC, 50/60 Hz	> 10000 lm	Cool white	Die-casting aluminum	> 0.95	IP65
GOC-SLT-120w	120w	115V To 300 Volt AC, 50/60 Hz	> 12000 lm	Cool white	Die-casting aluminum	> 0.95	IP65
GOC-SLT-160w	160w	115V To 300 Volt AC, 50/60 Hz	> 16000 lm	Cool white	Die-casting aluminum	> 0.95	IP65



LED SOLAR STREET LIGHTS

ALL IN ONE



LED SOLAR LIGHTS (ALL IN ONE)

Model	Power	Solar Panel	Battery	Lumens	Charge time	Discharge time
GOC-SAI0008W	8w	18V 20W (MONO)	LiFePO4 12.8V 08Ah	900 lm	10 hours	10-12 hours
GOC-SAI0012W	12w	18V 20W (MONO)	LiFePO4 12.8V 12Ah	1200-1320 lm	10 hours	10-12 hours
GOC-SAI0015W	15w	18V 35W (MONO)	LiFePO4 12.8V 15Ah	1600 lm	10 hours	10-12 hours
GOC-SAI0018W	18w	18V 45W (MONO)	LiFePO4 12.8V 18Ah	1800-1980 lm	10 hours	10-12 hours
GOC-SAI0021W	21w	18V 50W (MONO)	LiFePO4 12.8V 21Ah	2500-2700 lm	10 hours	10-12 hours
GOC-SAI0025W	25w	18V 60W (MONO)	LiFePO4 12.8V 25Ah	3300-3450 lm	10 hours	10-12 hours
GOC-SAI0030W	30W	18V 65W (MONO)	LiFePO4 12.8V 30Ah	3700-4050 lm	10 hours	10-12 hours
GOC-SAI0040W	40W	18V 70W (MONO)	LiFePO4 12.8V 35Ah	5000-5400 lm	10 hours	10-12 hours
GOC-SAI0050W	50W	18V 80W (MONO)	LiFePO4 12.8V 42Ah	6200-6750 lm	10 hours	10-12 hours
GOC-SAI0060W	60W	18V 90W (MONO)	LiFePO4 12.8V 48Ah	7400-8200 lm	10 hours	10-12 hours
GOC-SAI0070W	70W	18V 100W (MONO)	LiFePO4 12.8V 55Ah	8750-9450 lm	10 hours	10-12 hours
GOC-SAI0080W	80W	18V 110W (MONO)	LiFePO4 12.8V 62Ah	10000-10800 lm	10 hours	10-12 hours



LED FLOOD LIGHTS



LED FLOOD LIGHTS

Model	Power	Input Voltage	Lumens	Color	Body	Power Factor
GOC-FLT-25w	25w	115V To 300 Volt AC, 50/60 Hz	> 2500 lm	Cool white	Die-casting aluminum	> 0.95
GOC-FLT-30w	30w	115V To 300 Volt AC, 50/60 Hz	> 3000 lm	Cool white	Die-casting aluminum	> 0.95
GOC-FLT-40w	40w	115V To 300 Volt AC, 50/60 Hz	> 4000 lm	Cool white	Die-casting aluminum	> 0.95
GOC-FLT-50w	50w	115V To 300 Volt AC, 50/60 Hz	> 5000 lm	Cool white	Die-casting aluminum	> 0.95
GOC-FLT-60w	60w	115V To 300 Volt AC, 50/60 Hz	> 6000 lm	Cool white	Die-casting aluminum	> 0.95
GOC-FLT-80w	80w	115V To 300 Volt AC, 50/60 Hz	> 8000 lm	Cool white	Die-casting aluminum	> 0.95
GOC-FLT-110w	100w	115V To 300 Volt AC, 50/60 Hz	> 10000 lm	Cool white	Die-casting aluminum	> 0.95
GOC-FLT-150w	150w	115V To 300 Volt AC, 50/60 Hz	> 15000 lm	Cool white	Die-casting aluminum	> 0.95
GOC-FLT-200w	200w	115V To 300 Volt AC, 50/60 Hz	> 20000 lm	Cool white	Die-casting aluminum	> 0.95
GOC-FLT-300w	300w	115V To 300 Volt AC, 50/60 Hz	> 30000 lm	Cool white	Die-casting aluminum	> 0.95



LED HIGH BAY LIGHTS



LED Highbay Lights

Model	Power	Input Voltage	Lumens	Color	Body	Beam Angle	Power Factor
LEDHB01050W	50w	85V-265V, 3.6A	> 550 lm	Cool white	Die-casting aluminum	120 Degree	> 0.95
LEDHB01100W	100w	85V-265V, 3.6A	> 1100 lm	Cool white	Die-casting aluminum	121 Degree	> 0.95
LEDHB01150W	150w	85V-265V, 3.6A	> 1600 lm	Cool white	Die-casting aluminum	122 Degree	> 0.95
LEDHB01200W	200w	85V-265V, 3.6A	> 2200 lm	Cool white	Die-casting aluminum	123 Degree	> 0.95



LED FLICKER-FREE LIGHTS

FOR FILM AND SHOOTING INDUSTRY



GOC Flicker free LED lights are specifically made for Film and shooting industry. Highly optimized to support very high camera frame rates even for ultra slow motion shoot.



FLICKER FREE LED LIGHTS

Model	Power	Input Voltage	Lumens	Color Temp:	Body	Power Factor
GOC-FFSM-50W	50w	115V To 300 Volt AC, 50/60 Hz	> 5000 lm	Cool white	Die-casting aluminum	> 0.95
GOC-FFSM-100W	100w	115V To 300 Volt AC, 50/60 Hz	> 10000 lm	Cool white	Die-casting aluminum	> 0.95
GOC-FFSM-150W	150w	115V To 300 Volt AC, 50/60 Hz	> 15000 lm	Cool white	Die-casting aluminum	> 0.95



SOLAR ROAD SAFETY LIGHTS



ROAD SAFETY STUDS AND DELINEATORS

Solar Road Studs

For Road safety, airport runways and residential projects

Solar Delineators

Available with stable and blinking functions

Other related products

Solar Guard rails

Solar Pavement Studs

Solar LED Cone lights



COMPARISON CHART

COMMERCIAL LIGHTS

LIGHT TYPE	WATTAGE	LED EQUIVALENT	LED LUMENS
 Sodium Light	150 W 250 W 400 W	45—50 W 85—90 W 110—120 W	~4500 lm ~9000 lm ~12000 lm
 Metal Halide Light	150 W 250 W 400 W	65—70 W 90—100 W 150—160 W	~6500 lm ~9000 lm ~15000 lm
 Halogen Light	100 W 500 W 1000 W	9—10 W 45—50 W 90—100 W	~1000 lm ~4500 lm ~9000 lm

NOTES



Registered Office/ Corporate Office

Near Munni Devi Temple, Allahipur, Dhampur

District– Bijnor, U.P. 246761

Contact— +91 1344 223344

Toll Free— 1800 300 20566

Email— contact@goclabs.com | Web— www.goclabs.com